MINERAL SURVEY No. 3728

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

1110	Mineral Hill Consolidated (Copper Compa	any	
	KNOW	N AS THE		
	Hughes No. 1	lode		-
	Pima		Л	Aining District
	Pima C	ounty,	Arizona	
Sections	1 and 2 , Township	T. 17 S.	, Range	12 E.
Surve	eyed under instructions date	by J.	NB	Ecrico/ Mineral Surveyor
	Claim located See locati	on notices	, 1	!9
	Survey commenced Ja	nuary 4	, 1	9 21
1	Survey completedJ	anuary 5	, 1	9 21
\	Survey completed			
		45, Tucson	. Arizona	

Feet

MINERAL SURVEY No. 3728 HUGHES NO.1 Lode

Beginning at Cor.No.1, identical with Cor,
No.2, Sur. No. 1649, Crest lode, on line 3-4, Sur.

at 5.11° 35' w. 600 ft. from Cor. No. 4
No. 1649 Daisy lode, Claimant herein, also identical
with Cor.No.1, Sur. No. 2238 Hughes No.1 lode, Claimant
herein.

An iron pipe 1 in. diam with brass cap 2 ins. sq. on top, 18 ins. above ground, set 18 ins. in the ground. Stamped with Cross (X) 1 H No.1-3728, and 2-C-1649, with md of stone $3\frac{1}{2}$ ft base by 3 ft high alongside, whence the N. W. Cor. Sec. 1, T. 17 S R 12 E. G & S R M brs N 41 46' W. 201 ft.

Orig.Loc.Mon. brs.S 81 E 980 ft.
No other bearings are available.

Thence S 11° 35' E. Va. 13° 30' E.

185

287.8

To E. end Center, identical with E. end Center, Sur.

No. 2238, Hughes No.1 lode. An iron pipe 2 ins. diam.

by 4 ft high, set firmly in the ground and surrounded with a md of stone 3½ ft base by 3 ft high, stamped

E Cr.H. No.1. Loc. Mon. brs. 5. 80° 30' E. 985 ft.

To Cor.No.2. On line 3-4, Sur.No. 1649, Daisy lode at N. 11° 35' W. 612.2 ft from Cor.No.3 and on line 5-1

Sur. No. 3726, Plumed Knight lode, Claimant herein, at N.70° 41' W. 126.44 ft from Cor. No.1.

An iron pipe 1 in. diam with brass cap 2 ins. sq. on top, 18 ins. above ground, set 18 ins. in the ground, stamped with Cross (X) 2 H No.1-3728, with md of stone $3\frac{1}{2}$ ft base by 3 ft high alongside.

Loc. Mon. brs S 76 E 1030 ft.

No other bearings are available.

Thence N.70° 41' W. Va. 13° 30' E.

202.55

Intersect Sec. line Bet Secs. 1 and 2 T.17 S R 12 E at S.0° 5' E. 364.86 ft from Sec. Cor. and N.0° 5'W.

1.

MINERAL SURVEY NO.3728

Feet

HUGHES NO.1 Lode Cont'd

2268.54 ft from 1/4 Cor.

560.42

To Cor. No. 3, Identical with Cor. No.3, Sur. No.2238

on line 1-5, Sur. No.3726, Plumed Knight lode, 5.70°41E.574.43ff.from Cor.
Hughes No. 1 lode, fon line 2-3 Sur. No. 1649 Crest lode

at N 78°25' E. 829.07 ft from Cor. No. 3 and S 78°25' W

480.88 ft. from Cor.No.2.

An iron pipe 1 in. diam with brass cap 2 ins. sq. on top, 18 ins. above ground, set 18 ins. in the ground, stamped with Cross (X) 3 H No.1-3728, with md of stone $3\frac{1}{2}$ ft base by 3 ft high alongside.

Loc.Mon. brs S 11 35' E. 200 ft.

No other bearings are available.

Thence N. 11 35' W Va. 13 30' E.

0.1

To Cor. No.4, Sur. No. 2238, Hughes No. 1 lode, whence Gor. No.1 said lode brs. N. 78° 25' 42" E. 480.88 ft.
To W. end Center, identical with location.

An iron pipe 2 ins. diam by 4 ft high set firmly in the ground and surrounded with a md of stone $3\frac{1}{2}$ ft base by 3 ft high, stamped W. Cr. H.No.1.

2.0

To Cor. No. 4,

An iron pipe 1 in. diam with brass cap 2 ins. sq. on top, 18 ins. above ground, set 18 ins. in the ground, stamped with Cross (X) 4-H No.1 - 3728, with md of stone. $3\frac{1}{2}$ ft base by 3 ft high alongside.

Loc.Mon. brs N 11 35' W 198 ft.

No other bearings are available.

Thence N 78 39 16 E E

344.59

Intersect Sec.line bet. Secs. 1 and 2, T.17 S.R. 12 E. at S 0°05' E. 176.73 ft from Sec.Cor. and N.0° 05' W. point for 2456.67 ft from 1/4 Cor.

480.88

To Cor. No.1, the place of beginning.

LODE LINE.

As near as can be determined from present developments

MINERAL SUR. NO. 3728

LODE LINE Cont'd

the veins of this location embraced in this claim, extends as follows from its discovery point;

Hughes No.1 lode S 80° 26' E.125.6 ft and N. 80° 26' W. \checkmark 390 ft.

AREA.

Acres

Total area Hughes No.1 lode

1.600

Area in conflict with Sur. No.1649 Crest lode 0

0.011

Sur. No.2238 Hughes No.1 lode,

1.590

Sur.No.2238 Hughes No.1 lode, exclusive of its conflict with Sur. No. 1649 Crest lode, LOCATION.

This Survey is located in the NE_{4}^{1} of the NE_{4}^{1} of Sec. 2 and the NW_{4}^{1} of NW_{4}^{2} Sec. 1 T. 17 S.R.12 E.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the improvements made upon or for the benefit of the location embraced in said mining claim, by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of,

HUGHES NO.1 Lode

No. 1. The discovery shaft, the center of which being the discovery point, is on the lode line 125.6 ft from a point on line 1-2, 185 ft from Cor.No. 1, 4X6 ft, 10 ft deep.

Value \$100.00

No.2. A shaft, the center of which brs. from Cor.No.1, S 4 W. 47 ft, 4X6 ft, 10 ft deep (filled).

Value \$100.00

No.3. A shaft, the center of which brs from cor. No.1, S. 50° 25' W. 15 ft, 8X8 ft, 18 ft deep.

Value \$360.00

MINERAL SURVEY NO. 3728

INSTRUMENT.

This Survey was made with a Gurley Mountain transit. The courses were deflected from the true Meridian, from Line 5-1, Sur. No. 3726, Plumed Knight lode, previously established by myself, by direct Solar observations. The distances were measured by a 500 ft steel tape.

REPORT.

The lode line of this location was run directly upon the ground, and the corners were established by running around the claim.

All tie lines were run directly upon the ground.

The Cor. to Secs 1-2-35 and 36 T. 16 and 17 S.R. 12 E, consists of a limestone rock 6X8 ins. showing 12 ins. above ground, chiseled with one notch on east face and 5 notches on west face.

A diligent search was made for the 1/4 Cor. bet. Secs 1 and 2 and I failed to find any evidence of same.

The intersections with Sec.line bet. Secs l and 2 were calculated from the records.

Sur. No. 1649, Crest and Daisy lodes. All corners consist of limestone rocks, properly set and chiseled with the number of the corner and the Survey.

Line 2-3, Sur. No. 1649, Crest lode, fails to furnish the distance as approved (1310.8 ft) and same is properly given in these field notes.

Sur. No. 3726 Plumed Knight lode. All corners consist of iron pipe with brass caps on top, stamped with the number of the corner and the Survey. I find all courses and distances to be correct.

As my assistant lives in the vicinity of

0

MINERAL SURVEY No.3728

REPORT Cont'd

this group of claims and as there is no Notary Public within a long distance, a great delay, expense and inconvenience would result from strict compliance with the rule. I therefore proceeded to administer the necessary oath.

AD JOINING CLAIMS.

This Survey is adjoined on the North by Sur. No.1649, Crest lode. On the East by Sur. No. 1649

Daisy lode, and on the South and West by Sur. No.3726

Plumed Knight lode.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by	vens
United States Mineral Surveyor, to assist in running, measuring, and marking	
boundaries described in the foregoing field notes of the survey of the mining c	
The Mineral Hill Consolidated Copper Company	
known as the Hughes No. 1 lode	
and showing the respective capacities in which they acted.	
Dionicio Olivas	, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS OF ASSISTANTS	S.
Weex I, Dionicio Olivas	***************************************
axxdxx, do solemnly swear that we assiste	ed
T.N. Stevens, United States Mineral Surveyor, in marking th	
the boundaries of the mining claim of The Mineral Hill Consolidated Co	
known as the Hughes No. 1 lode	
represented in the foregoing field notes as having been surveyed by said mineral	
direction; and that said survey has been in all respects, to the best of our knowled	
and correctly executed, and the corner and boundary monuments established according	ng to law and the instruc-
tions furnished by the United States Surveyor-General for	
Divinion at	Was Chainman.
	, Chainman.
	, Awman.
	, Flagman.
Subscribed and sworn to by the above-named persons before n	ne this 5 th
day of Manuary , 1921	
day of Manuary , 1921	reno
1 Steel AS Mines	al Dinseum

FINAL OATH OF U.S. MINERAL SURVEYOR.

I,
November 30, 1920, , I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General faithfully and correctly and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Mineral Hill Consolidated Copper Company
, known as the
Hughes No. 1 lode . ,
situate in Pima Mining District,
Pima County, Arizona , in Sections
1 and 2 , Township No. 17 S., Range No. 12 E., G & S.R. M.
and designated as Survey No. 3728 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said minima claim hand in that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
U. S. Mineral Surveyor.
Subscribed and sworn to by the saidT.N.STEVENS
U. S. Mineral Surveyor, before me Isabel M. Lauder a Notary Public
in and for Pima County, Arizona this 23rd
day ofFe bruary, 1921
y Commission expires June 4 1924 Frahel Mande

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	P.	hoenix, Arizon	2,	
		A)	oril 14	, 19 21
I, U. S. Surveyor-Gen	eral for	District		3
do hereby certify that the				
of the mining claim of				_
The Min				
known as the				
situate in				
Mining District,				
in Section S 1 & 2				
designated as Survey No	3728	, has been correctly co	pied from the origin	als on file in
this office; that said Field				
incorporated into a patent,				
to natural objects or perma				
And I further certify				or improve-
ments made upon said mini				
consist of 3 shafts				
>2				

and that no portion of said	labor or improvemen	its has been included:	in the estimate of ex	cpenditures
pon any other claim.				
I further certify that the				
At 12 ons,	is correct and in	conformity with the fo	regoing Field Notes	5.
		Fı	ank P. Trott	
	Thital Co.	S	Arizone	#
19421b3m8-05	United States	Surveyor-General for	224 T GOIICE	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Ariz	ona
	Apr	il 14, 1921
I, U. S. Surveyor General for	District of Arizo	ona
do hereby certify that the foregoing an	ad hereto attached Field Notes and Return	n of the Survey of the
Mining Claim of		
	cal Hill Consolidated Copper	
		, known as the
	HUGHES NO.1 lode	
situate in	Pima	mining district,
Pima	County, Arizona	
in Section S. 1 and 2 , To	wuship No. 17 S., Rang	e No. 12 E.
designated as Su	vey No3728	
executed by	. N. Stevens	, U. S. Mineral
Surveyor,Jamıaı	ツ. 4 - 5 , under	my instructions dated
November 30	, 1920, have been critically examined a	nd the necessary cor-
rections and explanations made, and the	ne said Field Notes and Return, and the S	Survey they describe,
are hereby approved. The certified cop	by of the location certificate filed by the a	pplicant for survey is
on file in this office and a true copy of se	id certified copy of said location certificate	is included and made
part of the transcript of the field not	s.	
	Attend Cont	

U. S. Surveyor General for Arizona